

| First Name | Last Name    | Affiliation                                                    | Country         | Abstract title                                                                                                                              | Poster number |
|------------|--------------|----------------------------------------------------------------|-----------------|---------------------------------------------------------------------------------------------------------------------------------------------|---------------|
| Mridu      | Acharya      | Seattle Children's Research Institute/University of Washington | USA             | $\alpha$ V integrin regulates intracellular antigen routing and controls B cell-mediated T cell activation                                  | 1             |
| Hamidreza  | Akhbariyoon  | Carnegie Mellon University                                     | USA             | CD8 primes productive t cell contacts at microvilli during synapse initiation                                                               | 2             |
| Tina       | Andoh        | The University of Texas Southwestern Medical Center            | USA             | Vista immunoreceptor is a pH-sensitive sulfate binding protein                                                                              | 3             |
| Aditi      | Aryal        | The University of Chicago                                      | USA             | Anion Exchanger 2 modulates T cell development, homeostasis, and function                                                                   | 4             |
| Aegli      | Athanasiadou | Leiden University Medical Center                               | The Netherlands | Antigen-specific single cell metabolic profiling reveals nutrient transporter reprogramming in autoreactive B cells in rheumatoid arthritis | 5             |
| Byron      | Au-Yeung     | Emory University                                               | USA             | Functional evidence for ITAM-based signaling in the alternative adaptive immune systems of jawless vertebrates                              | 6             |
| Elizabeth  | Bailey       | University of New Mexico                                       | United Kingdom  | Single molecule pull-down to quantify protein phosphorylation                                                                               | 7             |
| Goran      | Bajic        | Icahn School of Medicine at Mount Sinai                        | USA             | Structure of a human IgE B cell receptor                                                                                                    | 8             |
| Matthew    | Bell         | Merck                                                          | USA             | Beyond neutralization: profiling antigen-specific antibody effector functions through multiplexed flow cytometry                            | 9             |

|               |          |                                    |                |                                                                                                                                                                             |    |
|---------------|----------|------------------------------------|----------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|
| Emily         | Blaum    | Cleveland Clinic                   | USA            | Distinct proteomic signatures define CAR T-cell expansion and development of acute toxicities in large B cell lymphoma patients undergoing CD19-directed CAR T-cell therapy | 11 |
| Madilyn       | Brandt   | Baylor College of Medicine         | USA            | KCa1.1 regulation of leptomeningeal fibroblasts during neuroinflammation                                                                                                    | 10 |
| Xujun         | Cao      | Arc Institute                      | USA            | Lysosomal regulation of STING Signaling via an evolutionarily conserved cGAMP transporter                                                                                   | 13 |
| Hannah        | Castels  | Georgia Institute of Technology    | USA            | Super-resolution mapping of TCRs in the TME reveal influence of cholesterol on spatial organization                                                                         | 12 |
| Jin           | Chen     | Cleveland Clinic                   | USA            | A new nanobody-based complement classical pathway inhibitor targeting C1r                                                                                                   | 15 |
| Irene         | Chernova | Yale University School of Medicine | USA            | $\gamma$ Na <sup>+</sup> -K <sup>+</sup> -ATPase defines a metabolic-purinergic survival axis in B cells                                                                    | 14 |
| Tooki         | Chu      | University College London          | United Kingdom | Recurrent mutations of the IgG BCR intracellular tail enhances BCR signalling in a subset of class-switched B cell lymphomas                                                | 16 |
| Bailey        | Cordill  | University of Cincinnati           | USA            | CryoEM structure of human Orai1 in its closed conformation                                                                                                                  | 17 |
| Batuhan       | Coskun   | argenx                             | Belgium        | Immunology Innovation Program: Developing Antibodies Against Novel Targets via Co-Creation                                                                                  | 18 |
| Hemanta Kumar | Datta    | Cleveland Clinic Research          | USA            | Nuclear Ezrin in B lymphocytes                                                                                                                                              | 19 |

|            |          |                                          |                |                                                                                                                                                                        |    |
|------------|----------|------------------------------------------|----------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|
| Anna Marie | Davies   | King's College London                    | United Kingdom | One epitope, different outcomes: Antibody-directed conformational control of IgE modulates receptor binding                                                            | 20 |
| Rasool     | Dezhkam  | GEORGIA INSTITUTE OF TECHNOLOGY          | USA            | TCR $\alpha\beta$ -CD3 cis-interactions allosterically modulate force-dependent TCR-pMHC trans-interactions and T cell activation without changing zero-force affinity | 21 |
| Pieter     | Dujardin | argenx                                   | Belgium        | Effects of efgartigimod treatment on humoral and cellular immune responses: analysis of T-cell-dependent antibody response in cynomolgus monkeys                       | 22 |
| John       | Duncan   | University of Virginia                   | USA            | Oxidized phospholipids drive Kupffer-cell loss and TRPV4-dependent efferocytosis in resistant macrophages                                                              | 23 |
| Mark       | Eckert   | Recludix Pharma                          | USA            | Unlocking SH2 domains as a therapeutic target for STAT6 and BTK                                                                                                        | 24 |
| Robert     | Eil      | Oregon Health and Science University - S | USA            | Plasma Membrane Potential and Ion Composition Control Nutrient Processing and Progenitor Potential in T Cells                                                          | 25 |
| Michael    | Eledge   | Baylor College of Medicine               | USA            | P2Y1-driven cytoskeletal remodeling primes innate antiviral signaling to amplify interferon responses during rotavirus infection                                       | 26 |

|           |             |                                                                   |                |                                                                                                                                                                     |    |
|-----------|-------------|-------------------------------------------------------------------|----------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|
| Nick      | Elston      | Baylor College of Medicine                                        | USA            | Cell transfer model of rheumatoid arthritis reveals fibroblast dependent drivers of disease                                                                         | 27 |
| Jorie     | Fleischman  | Baylor College of Medicine                                        | USA            | The role of a domain of von Willebrand factor in inflammation during rheumatoid arthritis                                                                           | 28 |
| Rosemarie | Ford        | Institute of Infection, Immunity and Transplantation (IIT) at UCL | United Kingdom | Co-receptor CD96 interactions and novel mechanism in human T cells                                                                                                  | 29 |
| Zira      | Gannam      | Aclaris Therapeutics                                              | USA            | Characterization of ATI-9494, a novel potent and selective dual inhibitor of ITK and TXK                                                                            | 30 |
| Marc      | Gavin       | InduPro, Inc                                                      | USA            | Modulating immune synapse signaling by relocating PD-1 with cis-acting bi-specific antibodies                                                                       | 32 |
| Andrew    | Getahun     | University of Colorado SOM                                        | USA            | The phosphorylation state of CD79A ITAMs contributes to the antigen receptor unresponsiveness of anergic B cells.                                                   | 31 |
| Julia     | Giezen      | Leiden University Medical Center                                  | Netherlands    | Autoreactive and non-autoreactive B cells before and after mivocabtagene autoleucel (miv-cel) CD19 CAR-T cell treatment in refractory rheumatoid arthritis patients | 33 |
| Dalisay   | Giovacchini | University College London                                         | United Kingdom | Understanding affinity variation in the CD28/CTLA-4 pathway and its impact on immune function                                                                       | 35 |
| Sara T    | Granados    | University of Chicago                                             | USA            | Mechanism of action of two potent LRRC8/VRAC channel inhibitors                                                                                                     | 34 |

|           |             |                                     |                            |                                                                                                                              |    |
|-----------|-------------|-------------------------------------|----------------------------|------------------------------------------------------------------------------------------------------------------------------|----|
| Rachel    | Grattan     | University of New Mexico            | USA                        | Antigen geometry tunes FcεRI aggregate architecture and signaling output in mast cells                                       | 36 |
| Louisa    | Hagen       | Cleveland Clinic Research           | USA                        | B cell-specific deletion of Myosin18A alters gut health                                                                      | 37 |
| Kuan-Ying | Huang       | National Taiwan University Hospital | Taiwan (Province of China) | The dominance of immunoglobulin gene use of anti-influenza H1 B-cell-derived antibodies to vaccination in adults             | 38 |
| Ethan     | Huleatt     | Baylor College of Medicine          | USA                        | LRRC8-mediated ADP release drives intercellular calcium wave propagation during rotavirus infection                          | 39 |
| Ella      | Jacobs      | Columbia University                 | USA                        | Aspergillus fumigatus melanin inhibits lung epithelial CRAC channels functions required for chemokine release                | 40 |
| Haebeen   | Jung        | The Jackson Laboratory              | USA                        | CSF1R Inhibition Unlocks Antitumor CCL4/CCR5 Signaling by Reprogramming the Myeloid Niche                                    | 42 |
| Amir H    | K Ashkezari | Georgia Institute of Technology     | USA                        | Structural and intracellular regulation of BCR affinity and catch bond                                                       | 41 |
| Anurag    | Kalia       | National Institute of Health        | USA                        | Neutralizing antibodies limit viral dissemination while allowing local lymph node infection to strengthen antiviral immunity | 43 |
| William   | Kanagy      | University of New Mexico            | USA                        | PD-1 Phosphorylation Resulting from of TCR and CD28 Co-Activation                                                            | 44 |

|            |                  |                                             |             |                                                                                                                                                                       |    |
|------------|------------------|---------------------------------------------|-------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|
| Hannah     | Kaye             | University of New Mexico                    | USA         | A natural cashew allergen-IgE system to understand allergen potency in mast cell activation                                                                           | 45 |
| Angelique  | Kenyon           | Radboud University Medical Center           | Netherlands | Microvilli formation in T cells is dependent on tetraspanin CD53                                                                                                      | 46 |
| Suzi       | Kim              | Carnegie Mellon University                  | USA         | Nanoscale 3D profiling of T cell membrane reveals the adhesion receptor CD2 enrichment in microvilli tips enable adhesion near TCR zones in the immunological synapse | 47 |
| Adwaidmanu | Krishna Chandran | University of Texas Medical Branch          | USA         | Early inflammatory signatures in a silicone oil-induced mouse model of glaucoma                                                                                       | 48 |
| Ellie      | Lai              | Carnegie Mellon University                  | USA         | CD8 enrichment in T cell microvilli facilitates adhesion and trimeric cooperativity during T cell activation                                                          | 49 |
| Menglan    | Li               | Georgia Institute of Technology             | USA         | Force dependent TCR-pMHC kinetics in the immunological synapse                                                                                                        | 50 |
| Bin        | Lin              | National Institutes of Health               | USA         | $\gamma\delta$ T Cell Activation and Expansion in NEMO Exon 5-Skipping Autoinflammatory Disease with Partial NF- $\kappa$ B Signaling Defect                          | 51 |
| Wan-Lin    | Lo               | University of Utah School of Medicine       | USA         | Age-Tuned T Cell Signaling in Establishing Tolerance                                                                                                                  | 52 |
| Sepehr     | Mani             | Johns Hopkins University School of Medicine | USA         | Regulated copper compartmentalization is required for neutrophil maturation and function                                                                              | 53 |

|         |            |                                 |     |                                                                                                                                                            |    |
|---------|------------|---------------------------------|-----|------------------------------------------------------------------------------------------------------------------------------------------------------------|----|
| Mohan   | Manjegowda | University of Virginia          | USA | Microglial TRPM7: A novel therapeutic target for neuroprotection                                                                                           | 54 |
| James   | McDonnell  | King's College London           | UK  | Structural basis for Stellabody hexamerisation                                                                                                             | 84 |
| Valeria | Molinary   | University of Virginia          | USA | Investigating Polyamine-Dependent Signaling in Alveolar Macrophages                                                                                        | 55 |
| Ajay    | Nirula     | Recludix Pharma                 | USA | Unlocking sh2 domains as a therapeutic target for stat6 and btk                                                                                            | 56 |
| Lucile  | Noyer      | NYU Grossman School of Medicine | USA | Copper shapes T cell metabolism and epigenetics to drive pathogenic Th17 cell function in autoimmunity                                                     | 57 |
| Shiva   | Othy       | University of California-Irvine | USA | Mechanosensing piezo1 channels regulate T cell-mediated solid tumor immunity                                                                               | 58 |
| Ainhoa  | Pérez-Díez | National Institutes of Health   | USA | CD4 lineage commitment of human T-cells does not require expression of the CD4 co-receptor protein                                                         | 59 |
| Hlafira | Polishchuk | University of Chicago           | USA | Highly conserved structural motifs of Irc8a determine the assembly and trafficking of Vrac                                                                 | 60 |
| Darpan  | Raghav     | University of Arizona           | USA | Structural basis of azole efflux by the ABC transporter Cdr1 in the opportunistic fungal pathogen <i>Candida auris</i> : mechanistic insights from cryo-EM | 61 |

|          |               |                                         |       |                                                                                                                                         |    |
|----------|---------------|-----------------------------------------|-------|-----------------------------------------------------------------------------------------------------------------------------------------|----|
| Ganesha  | Rai           | NCATS                                   | USA   | Preclinical Development of ALDH1A1 Inhibitors to Enhance Immunotherapy in Hepatocellular Carcinoma                                      | 62 |
| Arja     | Ray           | Johns Hopkins University                | USA   | Investigating the functional significance of predicted receptors associated with potent effector CD8 T cells in tumors                  | 63 |
| Michelle | Raymond       | Cleveland Clinic                        | USA   | Functional interaction between Ezrin and Myosin18A restricts autoantibody production                                                    | 64 |
| Sergio   | Rius Rocabert | CEU San Pablo University                | Spain | Non-canonical STING activation by calcium influx paired to endoplasmic reticulum stress                                                 | 65 |
| Arthur   | Salomon       | Brown University                        | USA   | CSF1R-CAR T Cells Reveal Target-Cell Immunoreceptor Signaling During Engineered T Cell Contact                                          | 66 |
| Marta    | Santos Bravo  | Albert Einstein College of Medicine     | USA   | Virtac: a modular lentiviral platform for selective expansion of virus-specific CD8 T cells with applications in adoptive immunotherapy | 67 |
| Iden     | Sapse         | Icahn School of Medicine at Mount Sinai | USA   | Observation of direct receptor-receptor interactions in an unliganded B cell antigen receptor dimer.                                    | 68 |
| Pietro   | Scaduto       | Sophion Bioscience Inc.                 | USA   | High-Throughput Automated Patch Clamp Assay for Endogenously Expressed Volume-Regulated Anion Channel (VRAC) Currents in HeLa Cells     | 69 |

|             |             |                                                |                            |                                                                                                                                                                 |    |
|-------------|-------------|------------------------------------------------|----------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------|----|
| Kevin       | Scrudders   | Purdue University                              | USA                        | Engineered and native T cells use two modes of degranulation that are spatiotemporally regulated                                                                | 70 |
| Madhusree   | Seal        | University of Illinois Urbana Champaign        | USA                        | Identification and structural characterization of avian FcγR                                                                                                    | 71 |
| Purushotham | Selvakumar  | National Institutes of Health                  | USA                        | Mechanism of nanobody-induced c-type inactivation in kv1.3 potassium channels                                                                                   | 72 |
| Hena        | Sheth       | University of Toronto                          | Canada                     | The Interplay of TRPM7 and Magnesium in Regulating B cell Differentiation and Survival                                                                          | 73 |
| Lauren      | Snyder      | Baylor College of Medicine                     | USA                        | Fibroblasts as antigen-presenting cells: a closer look at the leptomeninges during neuroinflammation                                                            | 74 |
| Karl-Heinz  | Tomaszowski | TRON gGmbH (non-profit)                        | Germany                    | Metabolic re-programming of neo-antigen TCR T cells (METRO)                                                                                                     | 78 |
| Patric      | Vaelli      | Sophion Bioscience Inc                         | USA                        | Characterization of endogenous ion channels in primary and immortalized lymphocytes using high-throughput automated patch-clamp electrophysiology               | 77 |
| Chih-Yang   | Wang        | Taipei Medical University                      | Taiwan (Province of China) | Machine learning framework for multi omics prioritization reveals glutamine transporter linking cuproptosis related stress to immunoregulatory states in glioma | 76 |
| Scott       | Wemlinger   | University of Colorado Anschutz Medical Campus | USA                        | Tyrosine #182 of the CD79A ITAM facilitates regulation of BCR signaling                                                                                         | 75 |

|         |              |                                        |                |                                                                                                                                                        |    |
|---------|--------------|----------------------------------------|----------------|--------------------------------------------------------------------------------------------------------------------------------------------------------|----|
| Sergei  | Yanushkevich | The University of Chicago              | USA            | Short peptide tags on C-terminus of LRRC8 proteins potentiate VRAC-dependent cyclic dinucleotide transport and cause preactivated phenotype in T cells | 79 |
| Kay     | Yeung        | University College London              | United Kingdom | Regulation of T cell immune responses: understanding receptor competition in the CD28/CTLA-4 pathway                                                   | 81 |
| Xiao    | Yu           | Shandong University                    | China          | ADGRE1 signaling pathway in macrophages                                                                                                                | 80 |
| Fangzhu | Zhao         | University of California San Francisco | USA            | Targeted shedding of immune cell receptors by induced protease recruitment                                                                             | 83 |
| Cheng   | Zhu          | Georgia Institute of Technology        | USA            | T cell differentiation state regulates in situ TCR affinity and catch bond                                                                             | 82 |